

Package ‘teal.slice’

April 30, 2024

Type Package

Title Filter Module for 'teal' Applications

Version 0.5.1

Date 2024-04-29

Description Data filtering module for 'teal' applications. Allows for interactive filtering of data stored in 'data.frame' and 'MultiAssayExperiment' objects. Also displays filtered and unfiltered observation counts.

License Apache License 2.0

URL <https://insightsengineering.github.io/teal.slice/>,
<https://github.com/insightsengineering/teal.slice/>

BugReports <https://github.com/insightsengineering/teal.slice/issues>

Depends R (>= 4.0)

Imports bslib (>= 0.4.0), checkmate (>= 2.1.0), dplyr (>= 1.0.5), grDevices, htmltools (>= 0.5.4), jsonlite, lifecycle (>= 0.2.0), logger (>= 0.2.0), methods, plotly (>= 4.9.2.2), R6 (>= 2.2.0), shiny (>= 1.6.0), shinycssloaders (>= 1.0.0), shinyjs, shinyWidgets (>= 0.6.2), teal.data (>= 0.4.0), teal.logger (>= 0.1.3.9013), teal.widgets (>= 0.4.0), utils

Suggests knitr (>= 1.42), MultiAssayExperiment, rmarkdown (>= 2.19), SummarizedExperiment, testthat (>= 3.1.5), withr (>= 2.1.0)

VignetteBuilder knitr

RdMacros lifecycle

Config/Needs/verdepcheck rstudio/shiny, rstudio/bslib, mllg/checkmate, tidyverse/dplyr, rstudio/htmltools, jeroen/jsonlite, r-lib/lifecycle, daroczi/logger, plotly/plotly, r-lib/R6, daattali/shinycssloaders, daattali/shinyjs, dreamRs/shinyWidgets, insightsengineering/teal.data, insightsengineering/teal.logger, insightsengineering/teal.widgets, yihui/knitr, bioc::MultiAssayExperiment, bioc::SummarizedExperiment, rstudio/rmarkdown, r-lib/testthat, r-lib/withr

Config/Needs/website insightsengineering/nesttemplate

Encoding UTF-8

Language en-US

RoxygenNote 7.3.1

NeedsCompilation no

Author Dawid Kaledkowski [aut, cre] (<<https://orcid.org/0000-0001-9533-457X>>),
 Pawel Rucki [aut],
 Aleksander Chlebowski [aut] (<<https://orcid.org/0000-0001-5018-6294>>),
 Andre Verissimo [aut] (<<https://orcid.org/0000-0002-2212-339X>>),
 Kartikeya Kirar [aut],
 Marcin Kosinski [aut],
 Chendi Liao [rev],
 Dony Unardi [rev],
 Andrew Bates [aut],
 Mahmoud Hallal [aut],
 Nikolas Burkoff [aut],
 Maciej Nasinski [aut],
 Konrad Pagacz [aut],
 Junlue Zhao [aut],
 F. Hoffmann-La Roche AG [cph, fnd]

Maintainer Dawid Kaledkowski <dawid.kaledkowski@roche.com>

Repository CRAN

Date/Publication 2024-04-30 20:40:02 UTC

R topics documented:

FilterPanelAPI	2
filter_state_api	5
get_filter_expr	7
init_filtered_data	8
teal_slice	8
teal_slices	11

Index	14
--------------	-----------

FilterPanelAPI	<i>Class to encapsulate the API of the filter panel of a teal app</i>
----------------	---

Description

An API class for managing filter states in a teal application's filter panel.

Details

The purpose of this class is to encapsulate the API of the filter panel in a new class `FilterPanelAPI` so that it can be passed and used in the server call of any module instead of passing the whole `FilteredData` object.

This class is supported by methods to set, get, remove filter states in the filter panel API.

Methods

Public methods:

- `FilterPanelAPI$new()`
- `FilterPanelAPI$get_filter_state()`
- `FilterPanelAPI$set_filter_state()`
- `FilterPanelAPI$remove_filter_state()`
- `FilterPanelAPI$clear_filter_states()`
- `FilterPanelAPI$clone()`

Method `new()`: Initialize a `FilterPanelAPI` object.

Usage:

```
FilterPanelAPI$new(datasets)
```

Arguments:

`datasets` (`FilteredData`)

Method `get_filter_state()`: Gets the reactive values from the active `FilterState` objects of the `FilteredData` object.

Gets all active filters in the form of a nested list. The output list is a compatible input to `set_filter_state`.

Usage:

```
FilterPanelAPI$get_filter_state()
```

Returns: list with named elements corresponding to `FilteredDataset` objects with active filters.

Method `set_filter_state()`: Sets active filter states.

Usage:

```
FilterPanelAPI$set_filter_state(filter)
```

Arguments:

`filter` (`teal_slices`)

Returns: NULL, invisibly.

Method `remove_filter_state()`: Remove one or more `FilterState` of a `FilteredDataset` in the `FilteredData` object.

Usage:

```
FilterPanelAPI$remove_filter_state(filter)
```

Arguments:

`filter` (`teal_slices`) specifying `FilterState` objects to remove; `teal_slices` may contain only `dataname` and `varname`, other elements are ignored

Returns: NULL, invisibly.

Method `clear_filter_states()`: Remove all `FilterStates` of the `FilteredData` object.

Usage:

```
FilterPanelAPI$clear_filter_states(datanames)
```

Arguments:

`datanames` (character) `datanames` to remove their `FilterStates`; omit to remove all `FilterStates` in the `FilteredData` object

Returns: NULL, invisibly.

Method `clone()`: The objects of this class are cloneable with this method.

Usage:

```
FilterPanelAPI$clone(deep = FALSE)
```

Arguments:

`deep` Whether to make a deep clone.

Examples

```
library(shiny)

fd <- init_filtered_data(list(iris = iris))
fpa <- FilterPanelAPI$new(fd)

# get the actual filter state --> empty named list
isolate(fpa$get_filter_state())

# set a filter state
set_filter_state(
  fpa,
  teal_slices(
    teal_slice(dataname = "iris", varname = "Species", selected = "setosa", keep_na = TRUE)
  )
)

# get the actual filter state --> named list with filters
isolate(fpa$get_filter_state())

# remove all_filter_states
fpa$clear_filter_states()

# get the actual filter state --> empty named list
isolate(fpa$get_filter_state())
```

filter_state_api *Managing FilteredData states*

Description

[Experimental]

Set, get and remove filter states of FilteredData object.

Usage

```
set_filter_state(datasets, filter)

get_filter_state(datasets)

remove_filter_state(datasets, filter)

clear_filter_states(datasets, force = FALSE)
```

Arguments

datasets	(FilteredData) object to store filter state and filtered datasets, shared across modules see FilteredData for details
filter	(teal_slices) specify filters in place on app start-up
force	(logical(1)) flag specifying whether to include anchored filter states.

Value

- set_*, remove_* and clear_filter_state return NULL invisibly
- get_filter_state returns a named teal_slices object containing a teal_slice for every existing FilterState

See Also

[teal_slice](#)

Examples

```
datasets <- init_filtered_data(list(iris = iris, mtcars = mtcars))
fs <- teal_slices(
  teal_slice(dataname = "iris", varname = "Species", selected = c("setosa", "versicolor")),
  teal_slice(dataname = "iris", varname = "Sepal.Length", selected = c(5.1, 6.4)),
  teal_slice(dataname = "mtcars", varname = "gear", selected = c(4, 5)),
  teal_slice(dataname = "mtcars", varname = "carb", selected = c(4, 10))
)

# set initial filter state
```

```

set_filter_state(datasets, filter = fs)

# get filter state
get_filter_state(datasets)

# modify filter state
set_filter_state(
  datasets,
  teal_slices(
    teal_slice(dataname = "iris", varname = "Species", selected = "setosa", keep_na = TRUE)
  )
)

# remove specific filters
remove_filter_state(
  datasets,
  teal_slices(
    teal_slice(dataname = "iris", varname = "Species"),
    teal_slice(dataname = "mtcars", varname = "gear"),
    teal_slice(dataname = "mtcars", varname = "carb")
  )
)

# remove all states
clear_filter_states(datasets)

if (requireNamespace("MultiAssayExperiment", quietly = TRUE)) {
  # Requires MultiAssayExperiment from Bioconductor
  data(miniACC, package = "MultiAssayExperiment")

  datasets <- init_filtered_data(list(mae = miniACC))
  fs <- teal_slices(
    teal_slice(
      dataname = "mae", varname = "years_to_birth", selected = c(30, 50),
      keep_na = TRUE, keep_inf = FALSE
    ),
    teal_slice(
      dataname = "mae", varname = "vital_status", selected = "1",
      keep_na = FALSE
    ),
    teal_slice(
      dataname = "mae", varname = "gender", selected = "female",
      keep_na = TRUE
    ),
    teal_slice(
      dataname = "mae", varname = "ARRAY_TYPE", selected = "",
      keep_na = TRUE, experiment = "RPPAArray", arg = "subset"
    )
  )

  # set initial filter state
  set_filter_state(datasets, filter = fs)
}

```

```
# get filter state
get_filter_state(datasets)

# modify filter state
set_filter_state(
  datasets,
  teal_slices(
    teal_slice(dataname = "mae", varname = "years_to_birth", selected = c(40, 60))
  )
)

# remove specific filters
remove_filter_state(
  datasets,
  teal_slices(
    teal_slice(dataname = "mae", varname = "years_to_birth"),
    teal_slice(dataname = "mae", varname = "vital_status")
  )
)

# remove all states
clear_filter_states(datasets)
}
```

get_filter_expr *Gets filter expression for multiple datanames taking into account its order.*

Description

[Stable]

To be used in Show R Code button.

Usage

```
get_filter_expr(datasets, datanames = datasets$datanames())
```

Arguments

datasets (FilteredData)
datanames (character) vector of dataset names

Value

A character string containing all subset expressions.

init_filtered_data	<i>Initialize FilteredData</i>
--------------------	--------------------------------

Description

Function creates a FilteredData object.

Usage

```
init_filtered_data(x, join_keys = teal.data::join_keys(), code, check)
```

Arguments

x	(named list) of datasets.
join_keys	(join_keys) see teal.data::join_keys() .
code	[Deprecated]
check	[Deprecated]

Value

Object of class FilteredData.

Examples

```
datasets <- init_filtered_data(list(iris = iris, mtcars = mtcars))
datasets
```

teal_slice	<i>Specify single filter</i>
------------	------------------------------

Description

Create a teal_slice object that holds complete information on filtering one variable. Check out [teal_slice-utilities](#) functions for working with teal_slice object.

Usage

```
teal_slice(  
  dataname,  
  varname,  
  id,  
  expr,  
  choices = NULL,  
  selected = NULL,
```



```

    keep_na = NULL,
    keep_inf = NULL,
    fixed = FALSE,
    anchored = FALSE,
    multiple = TRUE,
    title = NULL,
    ...
)

```

Arguments

dataname	(character(1)) name of data set
varname	(character(1)) name of variable
id	(character(1)) identifier of the filter. Must be specified when expr is set. When varname is specified then id is set to "{dataname} {varname}" by default.
expr	(character(1)) string providing a logical expression. Must be a valid R expression which can be evaluated in the context of the data set. For a data.frame var == "x" is sufficient, but MultiAssayExperiment::subsetByColData requires dataname prefix, e.g. data\$var == "x".
choices	(vector) optional, specifies allowed choices; When specified it should be a subset of values in variable denoted by varname; Type and size depends on variable type. Factors are coerced to character.
selected	(vector) optional, specifies selected values from choices; Type and size depends on variable type. Factors are coerced to character.
keep_na	(logical(1)) optional flag specifying whether to keep missing values
keep_inf	(logical(1)) optional flag specifying whether to keep infinite values
fixed	(logical(1)) flag specifying whether to fix this filter state (forbid setting state)
anchored	(logical(1)) flag specifying whether to lock this filter state (forbid removing and inactivating)
multiple	(logical(1)) optional flag specifying whether more than one value can be selected; only applicable to ChoicesFilterState and LogicalFilterState
title	(character(1)) optional title of the filter. Ignored when varname is set.
...	additional arguments which can be handled by extensions of teal.slice classes.

Details

teal_slice object fully describes filter state and can be used to create, modify, and delete a filter state. A teal_slice contains a number of common fields (all named arguments of teal_slice), some of which are mandatory, but only dataname and either varname or expr must be specified, while the others have default values.

Setting any of the other values to NULL means that those properties will not be modified (when setting an existing state) or that they will be determined by data (when creating new a new one). Entire object is FilterState class member and can be accessed with FilterState\$get_state().

A teal_slice can come in two flavors:

1. `teal_slice_var` - this describes a typical interactive filter that refers to a single variable, managed by the `FilterState` class. This class is created when `varname` is specified. The object retains all fields specified in the call. `id` can be created by default and need not be specified.
2. `teal_slice_expr` - this describes a filter state that refers to an expression, which can potentially include multiple variables, managed by the `FilterStateExpr` class. This class is created when `expr` is specified. `dataname` and `anchored` are retained, `fixed` is set to `TRUE`, `id` becomes mandatory, `title` remains optional, while other arguments are disregarded.

A `teal_slice` can be passed `FilterState/FilterStateExpr` constructors to instantiate an object. It can also be passed to `FilterState$set_state` to modify the state. However, once a `FilterState` is created, only the mutable features can be set with a `teal_slice`: `selected`, `keep_na` and `keep_inf`.

Special consideration is given to two fields: `fixed` and `anchored`. These are always immutable logical flags that default to `FALSE`. In a `FilterState` instantiated with `fixed = TRUE` the features `selected`, `keep_na`, `keep_inf` cannot be changed. Note that a `FilterStateExpr` is always considered to have `fixed = TRUE`. A `FilterState` instantiated with `anchored = TRUE` cannot be removed.

Value

A `teal.slice` object. Depending on whether `varname` or `expr` was specified, the resulting `teal_slice` also receives class `teal_slice_var` or `teal_slice_expr`, respectively.

Filters in SumarizedExperiment and MultiAssayExperiment objects

To establish a filter on a column in a `data.frame`, `dataname` and `varname` are sufficient. `MultiAssayExperiment` objects can be filtered either on their `colData` slot (which contains subject information) or on their `experiments`, which are stored in the `experimentList` slot. For filters referring to `colData` no extra arguments are needed. If a filter state is created for an experiment, that experiment name must be specified in the `experiment` argument. Furthermore, to specify filter for an `SummarizedExperiment` one must also set `arg` ("`subset`" or "`select`", arguments in the `subset()` function for `SummarizedExperiment`) in order to determine whether the filter refers to the SE's `rowData` or `colData`.

Note

Date time objects of `POSIX*t` classes are printed as strings after converting to UTC timezone.

See Also

[teal_slices](#), [is.teal_slice](#), [as.teal_slice](#), [as.list.teal_slice](#), [print.teal_slice](#), [format.teal_slice](#)

Examples

```
x1 <- teal_slice(
  dataname = "data",
  id = "Female adults",
  expr = "SEX == 'F' & AGE >= 18",
  title = "Female adults"
)
x2 <- teal_slice(
  dataname = "data",
```

```

varname = "var",
choices = c("F", "M", "U"),
selected = "F",
keep_na = TRUE,
keep_inf = TRUE,
fixed = FALSE,
anchored = FALSE,
multiple = TRUE,
id = "Gender",
extra_arg = "extra"
)

is.teal_slice(x1)
as.list(x1)
as.teal_slice(list(dataname = "a", varname = "var"))
format(x1)
format(x1, show_all = TRUE, trim_lines = FALSE)
print(x1)
print(x1, show_all = TRUE, trim_lines = FALSE)

```

teal_slices

Complete filter specification

Description

Create teal_slices object to package multiple filters and additional settings. Check out [teal_slices-utilities](#) functions for working with teal_slices object.

Usage

```

teal_slices(
  ...,
  exclude_varnames = NULL,
  include_varnames = NULL,
  count_type = NULL,
  allow_add = TRUE
)

```

Arguments

... any number of teal_slice objects.

include_varnames, exclude_varnames
(named lists of character) where list names match names of data sets and vector elements match variable names in respective data sets; specify which variables are allowed to be filtered; see Details.

count_type	<p>[Experimental] <i>This is a new feature. Do kindly share your opinions on teal.slice's GitHub repository.</i></p> <p>(character(1)) string specifying how observations are tallied by these filter states. Possible options:</p> <ul style="list-style-type: none"> • "none" (default) to have counts of single FilterState to show unfiltered number only. • "all" to have counts of single FilterState to show number of observation in filtered and unfiltered dataset. Note, that issues were reported when using this option with MultiAssayExperiment. Please make sure that adding new filters doesn't fail on target platform before deploying for production.
allow_add	(logical(1)) logical flag specifying whether the user will be able to add new filters

Details

teal_slices() collates multiple teal_slice objects into a teal_slices object, a complete filter specification. This is used by all classes above FilterState as well as filter_panel_api wrapper functions. teal_slices has attributes that modify the behavior of the filter panel, which are resolved by different classes.

include_varnames and exclude_varnames determine which variables can have filters assigned. The former enumerates allowed variables, the latter enumerates forbidden values. Since these could be mutually exclusive, it is impossible to set both allowed and forbidden variables for one data set in one teal_slices.

Value

teal_slices, which is an unnamed list of teal_slice objects.

See Also

- [teal_slice](#) for creating constituent elements of teal_slices
- [teal::slices_store](#) for robust utilities for saving and loading teal_slices in JSON format
- [is.teal_slices](#), [as.teal_slices](#), [as.list.teal_slices](#), [\[.teal_slices](#)], [c.teal_slices](#), [print.teal_slices](#), [format.teal_slices](#)

Examples

```
filter_1 <- teal_slice(
  dataname = "dataname1",
  varname = "varname1",
  choices = letters,
  selected = "b",
  keep_na = TRUE,
  fixed = FALSE,
  extra1 = "extraone"
)
filter_2 <- teal_slice(
```

```
      dataname = "dataname1",
      varname = "varname2",
      choices = 1:10,
      keep_na = TRUE,
      selected = 2,
      fixed = TRUE,
      anchored = FALSE,
      extra2 = "extratwo"
    )
  filter_3 <- teal_slice(
    dataname = "dataname2",
    varname = "varname3",
    choices = 1:10 / 10,
    keep_na = TRUE,
    selected = 0.2,
    fixed = TRUE,
    anchored = FALSE,
    extra1 = "extraone",
    extra2 = "extratwo"
  )

  all_filters <- teal_slices(
    filter_1,
    filter_2,
    filter_3,
    exclude_varnames = list(
      "dataname1" = "varname2"
    )
  )
)

is.teal_slices(all_filters)
all_filters[1:2]
c(all_filters[1], all_filters[2])
print(all_filters)
print(all_filters, trim_lines = FALSE)
```

Index

`as.list.teal.slice`, [10](#)
`as.list.teal.slices`, [12](#)
`as.teal.slice`, [10](#)
`as.teal.slices`, [12](#)

`c.teal.slices`, [12](#)
`clear_filter_states` (`filter_state_api`),
[5](#)

`filter_state_api`, [5](#)
`FilteredData`, [5](#)
`FilterPanelAPI`, [2](#)
`format.teal.slice`, [10](#)
`format.teal.slices`, [12](#)

`get_filter_expr`, [7](#)
`get_filter_state` (`filter_state_api`), [5](#)

`init_filtered_data`, [8](#)
`is.teal.slice`, [10](#)
`is.teal.slices`, [12](#)

`print.teal.slice`, [10](#)
`print.teal.slices`, [12](#)

`remove_filter_state` (`filter_state_api`),
[5](#)

`set_filter_state` (`filter_state_api`), [5](#)
`subset`(), [10](#)

`teal.data::join_keys`(), [8](#)
`teal::slices_store`, [12](#)
`teal.slice`, [5](#), [8](#), [12](#)
`teal.slices`, [10](#), [11](#)