

The **fontscale** package

A flexible interface for setting font sizes

Oliver Beery

Version 4.0.1 11 March 2025

1 Loading the package

```
% LaTeXe version 2023-11-01 added \IfExplAtLeastTF.  
\NeedsTeXFormat{LaTeXe}[2023-11-01]  
\DeclareRelease{v3}{2025-02-13}{fontscale-v3.sty}  
\DeclareCurrentRelease{}{2025-03-11}  
\ProvidesExplPackage{fontscale}{2025-03-11}{4.0.1}  
  {A flexible interface for setting font sizes}  
  
% l3kernel version 2023-11-09 added documentation for \c_nan_fp.  
\IfExplAtLeastTF { 2023-11-09 } {  
{  
  \msg_new:nnn { fontscale } { l3kernel-out-of-date }  
  {  
    The~ fontscale~ package~ could~ not~ load. \\  
    This~ package~ requires~  
    L3~ programming~ layer~ version~ 2023-11-09~ or~ newer.  
  }  
  \msg_critical:nn { fontscale } { l3kernel-out-of-date }  
}  
  
% fontscale defines \scalefont.  
\cs_new_protected:Npn \__fontscale_hook_scalefnt:  
{  
  \msg_new:nnn { fontscale } { package-scalefnt }  
  {  
    The~ fontscale~ package~ is~ incompatible~ with~ the~ 'scalefnt'~  
    package.  
  }  
  \msg_error:nn { fontscale } { package-scalefnt }  
}  
\hook_gput_code:nna { package / scalefnt / before } { fontscale }  
  { \__fontscale_hook_scalefnt: }
```

2 Messages

```
\msg_new:nnn { fontscale } { key-musical-base-invalid }  
{  
  Invalid~ value~ '#1'~ \msg_line_context:. \\
```

```

The~ value~ of~ the~ key~ 'musical / base'~ must~ be~ a~ positive~ length~
and~ less~ than~ 2048pt.
}

\msg_new:nnn { fontscale } { key-musical-ratio-invalid }
{
  Invalid~ value~ '#1'~ \msg_line_context:. \\
  The~ value~ of~ the~ key~ 'musical / ratio'~ must~ be~ greater~ than~ 1.
}

\msg_new:nnn { fontscale } { key-musical-notes-invalid }
{
  Invalid~ value~ '#1'~ \msg_line_context:. \\
  The~ value~ of~ the~ key~ 'musical / notes'~ must~ be~ a~ positive~
  integer.
}

\msg_new:nnn { fontscale } { name-font-size-invalid }
{
  Invalid~ font~ size~ of~ \iow_char:N \\#1~ '#2'~ \msg_line_context:. \\
  The~ font~ size~ must~ be~ a~ positive~ length~ and~ less~ than~ 2048pt.
}

\msg_new:nnn { fontscale } { key-name-scale-overwritten }
{
  The~ font~ size~ set~ by~ the~ key~ '#1 / scale'~
  has~ been~ overwritten~ by~ the~ key~ '#1 / size'~ \msg_line_context:.

}

\msg_new:nnn { fontscale } { font-sizes-wrong-order }
{
  The~ font~ sizes~ are~ not~ in~ the~ correct~ order~ \msg_line_context:. \\
  The~ lengths~ of~ the~ font~ sizes~ should~ be~ ordered~ from~
  \iow_char:N \tiny~ to~ \iow_char:N \Huge.
}

% This package tests for math mode only at the user level because this is not
% necessary for programmers. To avoid confusion, this package issues a warning
% when \fontsize + \selectfont would be used in math mode because it would not
% change the math font size.
\msg_new:nnn { fontscale } { math-mode-warning }
{
  '#1'~ does~ nothing~ if~ used~ in~ math~ mode~ \msg_line_context:.
}
% \o and \par cannot be used in math mode.
\msg_new:nnn { fontscale } { math-mode-error }
{
  '#1'~ cannot~ be~ used~ in~ math~ mode~ \msg_line_context:.
}

\msg_new:nnn { fontscale } { font-size-invalid }
{
  Invalid~ font~ size~ '#1'~ \msg_line_context:. \\
  The~ font~ size~ must~ be~ a~ positive~ length~ and~ less~ than~ 2048pt.
}

\msg_new:nnn { fontscale } { font-step-invalid }
{
  Invalid~ font~ step~ '#1'~ \msg_line_context:. \\

```

```

The~ font~ step~ must~ equal~ the~ font~ step~ of~
any~ font~ size~ command~ from~ \iow_char:N \\tiny~ to~ \iow_char:N \\Huge~
unless~ the~ value~ of~ the~ key~ 'typographic-scale'~ is~ 'musical'.
}

\msg_new:nnn { fontscale } { current-font-step-invalid }
{
  The~ new~ font~ step~ could~ not~ be~ calculated~
  because~ the~ current~ font~ step~ is~ undefined~ \msg_line_context:.
}

```

3 Some variables

```
% Declares and initializes the font step, font scale, font size, and font
% baselineskip of each font size command from \tiny to \Huge.
```

```

\fp_const:Nn \c_fontscales_tiny_step_fp      { -4 }
\fp_const:Nn \c_fontscales_scriptsizes_step_fp { -3 }
\fp_const:Nn \c_fontscales_footnotesizes_step_fp { -2 }
\fp_const:Nn \c_fontscales_small_step_fp      { -1 }
\fp_const:Nn \c_fontscales_normalsizes_step_fp { 0 }
\fp_const:Nn \c_fontscales_large_step_fp      { 1 }
\fp_const:Nn \c_fontscales_Large_step_fp       { 2 }
\fp_const:Nn \c_fontscales_LARGE_step_fp       { 3 }
\fp_const:Nn \c_fontscales_huge_step_fp        { 4 }
\fp_const:Nn \c_fontscales_Huge_step_fp        { 5 }

\fp_const:Nn \c_fontscales_normalsizes_scale_fp { 1 }

\fp_new:N \l_fontscales_tiny_scale_fp
\fp_new:N \l_fontscales_scriptsizes_scale_fp
\fp_new:N \l_fontscales_footnotesizes_scale_fp
\fp_new:N \l_fontscales_small_scale_fp
\fp_new:N \l_fontscales_large_scale_fp
\fp_new:N \l_fontscales_Large_scale_fp
\fp_new:N \l_fontscales_LARGE_scale_fp
\fp_new:N \l_fontscales_huge_scale_fp
\fp_new:N \l_fontscales_Huge_scale_fp

\dim_new:N \l_fontscales_tiny_size_dim
\dim_new:N \l_fontscales_scriptsizes_size_dim
\dim_new:N \l_fontscales_footnotesizes_size_dim
\dim_new:N \l_fontscales_small_size_dim
\dim_new:N \l_fontscales_normalsizes_size_dim
\dim_new:N \l_fontscales_large_size_dim
\dim_new:N \l_fontscales_Large_size_dim
\dim_new:N \l_fontscales_LARGE_size_dim

```

```

\dim_new:N \l_fontscalesize_huge_size_dim
\dim_new:N \l_fontscalesize_Huge_size_dim

\skip_new:N \l_fontscalesize_tiny_baselineskip_skip
\skip_new:N \l_fontscalesize_scriptsizesize_baselineskip_skip
\skip_new:N \l_fontscalesize_footnotesizesize_baselineskip_skip
\skip_new:N \l_fontscalesize_small_baselineskip_skip
\skip_new:N \l_fontscalesize_normalsizesize_baselineskip_skip
\skip_new:N \l_fontscalesize_largesize_baselineskip_skip
\skip_new:N \l_fontscalesize_Large_baselineskip_skip
\skip_new:N \l_fontscalesize_LARGE_baselineskip_skip
\skip_new:N \l_fontscalesize_huge_baselineskip_skip
\skip_new:N \l_fontscalesize_Huge_baselineskip_skip

\fp_set:Nn \l_fontscalesize_tiny_scale_fp      { 0.6 }
\fp_set:Nn \l_fontscalesize_scriptsizescale_fp { 0.7 }
\fp_set:Nn \l_fontscalesize_footnotesizescale_fp { 0.8 }
\fp_set:Nn \l_fontscalesize_small_scalescale_fp { 0.9 }
\fp_set:Nn \l_fontscalesize_largescalescale_fp { 1.1 }
\fp_set:Nn \l_fontscalesize_Large_scalescale_fp { 1.2 }
\fp_set:Nn \l_fontscalesize_LARGE_scalescale_fp { 1.4 }
\fp_set:Nn \l_fontscalesize_huge_scalescale_fp { 1.6 }
\fp_set:Nn \l_fontscalesize_Huge_scalescale_fp { 1.8 }

\dim_set:Nn \l_fontscalesize_tiny_size_dim      { 6pt }
\dim_set:Nn \l_fontscalesize_scriptsizesize_dim { 7pt }
\dim_set:Nn \l_fontscalesize_footnotesizesize_dim { 8pt }
\dim_set:Nn \l_fontscalesize_small_size_dim     { 9pt }
\dim_set:Nn \l_fontscalesize_normalsizesize_dim { 10pt }
\dim_set:Nn \l_fontscalesize_largesize_dim      { 11pt }
\dim_set:Nn \l_fontscalesize_Large_size_dim      { 12pt }
\dim_set:Nn \l_fontscalesize_LARGE_size_dim      { 14pt }
\dim_set:Nn \l_fontscalesize_huge_size_dim       { 16pt }
\dim_set:Nn \l_fontscalesize_Huge_size_dim       { 18pt }

\skip_set:Nn \l_fontscalesize_tiny_baselineskip { 7.2pt }
\skip_set:Nn \l_fontscalesize_scriptsizeskip { 8.4pt }
\skip_set:Nn \l_fontscalesize_footnotesizeskip { 9.6pt }
\skip_set:Nn \l_fontscalesize_small_baselineskip { 10.8pt }
\skip_set:Nn \l_fontscalesize_normalsizeskip { 12pt }
\skip_set:Nn \l_fontscalesize_largeskip { 13.2pt }
\skip_set:Nn \l_fontscalesize_Large_baselineskip { 14.4pt }
\skip_set:Nn \l_fontscalesize_LARGE_baselineskip { 16.8pt }
\skip_set:Nn \l_fontscalesize_huge_baselineskip { 19.2pt }
\skip_set:Nn \l_fontscalesize_Huge_baselineskip { 21.6pt }

% Stores the current font step, font scale, font size, and font baselineskip.

```

```

% They are set in the selectfont hook.
\fp_new:N    \l_fontscales_step_fp
\fp_new:N    \l_fontscales_scale_fp
\dim_new:N   \l_fontscales_size_dim
\skip_new:N  \l_fontscales_baselineskip_skip

% For speed, \__fontscales_hook_selectfont: tries to avoid computing a floating
% point expression by using \fp_set_eq:NN when the font size equals the font
% size of any font size command from \tiny to \Huge. The case when the font
% size equals that of \normalsize is optimized further because it is by far
% the most common case. \f@size and \f@baselineskip are not used elsewhere in
% this package.
\cs_new_protected:Npn \__fontscales_hook_selectfont:
{
    \dim_set:Nn \l_fontscales_size_dim { \f@size pt }
    \skip_set:Nn \l_fontscales_baselineskip_skip { \f@baselineskip }
    \dim_compare:nNnTF \l_fontscales_size_dim = \l_fontscales_normalsize_size_dim
    {
        \fp_set_eq:NN \l_fontscales_step_fp  \c_fontscales_normalsize_step_fp
        \fp_set_eq:NN \l_fontscales_scale_fp \c_fontscales_normalsize_scale_fp
    }
    { \__fontscales_hook_selectfont_auxi: }
}
\cs_new_protected:Npn \__fontscales_hook_selectfont_auxi:
{
    \dim_case:nnF { \l_fontscales_size_dim }
    {
        { \l_fontscales_small_size_dim }
        {
            \fp_set_eq:NN \l_fontscales_step_fp  \c_fontscales_small_step_fp
            \fp_set_eq:NN \l_fontscales_scale_fp \l_fontscales_small_scale_fp
        }
        { \l_fontscales_large_size_dim }
        {
            \fp_set_eq:NN \l_fontscales_step_fp  \c_fontscales_large_step_fp
            \fp_set_eq:NN \l_fontscales_scale_fp \l_fontscales_large_scale_fp
        }
        { \l_fontscales_footnotesize_size_dim }
        {
            \fp_set_eq:NN \l_fontscales_step_fp \c_fontscales_footnotesize_step_fp
            \fp_set_eq:NN \l_fontscales_scale_fp
                \l_fontscales_footnotesize_scale_fp
        }
        { \l_fontscales_Large_size_dim }
        {
            \fp_set_eq:NN \l_fontscales_step_fp  \c_fontscales_Large_step_fp
            \fp_set_eq:NN \l_fontscales_scale_fp \l_fontscales_Large_scale_fp
        }
    }
}

```

```

{ \l_fontscalescriptsize_size_dim }
{
  \fp_set_eq:NN \l_fontscalescriptsize_step_fp \c_fontscalescriptsize_step_fp
  \fp_set_eq:NN \l_fontscalescriptsize_fp \l_fontscalescriptsize_fp
}
{ \l_fontscale_LARGE_size_dim }
{
  \fp_set_eq:NN \l_fontscalescriptsize_step_fp \c_fontscalescriptsize_step_fp
  \fp_set_eq:NN \l_fontscalescriptsize_fp \l_fontscalescriptsize_fp
}
{ \l_fontscaletiny_size_dim }
{
  \fp_set_eq:NN \l_fontscalescriptsize_step_fp \c_fontscaletiny_step_fp
  \fp_set_eq:NN \l_fontscalescriptsize_fp \l_fontscaletiny_fp
}
{ \l_fontscale_huge_size_dim }
{
  \fp_set_eq:NN \l_fontscalescriptsize_step_fp \c_fontscalehuge_step_fp
  \fp_set_eq:NN \l_fontscalescriptsize_fp \l_fontscalehuge_fp
}
{ \l_fontscale_Huge_size_dim }
{
  \fp_set_eq:NN \l_fontscalescriptsize_step_fp \c_fontscaleHuge_step_fp
  \fp_set_eq:NN \l_fontscalescriptsize_fp \l_fontscaleHuge_fp
}
}
{ \__fontscale_hook_selectfont_auxii: }
}
\cs_new_protected:Npn \__fontscale_hook_selectfont_auxii:
{
  \fp_set:Nn \l_fontscalescale_fp
  {
    \dim_to_fp:n { \l_fontscalesize_dim } /
    \l__fontscale_normalsize_size_fp
  }
  \str_if_eq:VnTF \l_fontscaletypographic_scale_str { musical }
  {
    \fp_set:Nn \l_fontscalescriptsize_step_fp
    {
      \l_fontscalescriptsize_fp *
      \ln
      (
        \dim_compare:nNnTF \l__fontscale_musical_base_dim =
        \l_fontscalescriptsize_fp
        { \l_fontscalescriptsize_fp }
        {
          \dim_to_fp:n { \l_fontscalesize_dim } /
          \l_fontscalescriptsize_fp
        }
      )
    }
  }
}

```

```

        )
    }
}
{ \fp_set_eq:NN \l_fontscales_step_fp \c_nan_fp }
}
\hook_gput_code:n { selectfont } { fontscale }
{ \__fontscale_hook_selectfont: }

% Used only to speed up floating point calculations.
\fp_new:N \l__fontscale_normalsize_size_fp
\fp_set:Nn \l__fontscale_normalsize_size_fp { 10 }
\fp_new:N \l__fontscale_musical_base_fp
\fp_new:N \l__fontscale_musical_notes_fp
\fp_new:N \l__fontscale_musical_selectfont_fp

\fp_const:Nn \c__fontscale_five_fp { 5 }

% Scratch variable
\fp_new:N \l__fontscale_tmp_fp

```

4 Some functions

```

% Variants of l3kernel functions
\cs_generate_variant:Nn \msg_error:nnnn { nnnv }
% Similar to \fontsize + \selectfont, except that it:
% (1) Takes dimen and skip expressions as arguments without appending a default
% unit of 'pt'.
% (2) Avoids the issue where \f@size is set to the new font size before the
% second argument is expanded.
% (3) Issues a user-friendly error message if the font size is not positive.
\cs_new_protected:Npn \__fontscale_set_font_size:nn #1#2
{
  \use:e
  {
    \__fontscale_set_font_size_aux:nn { \dim_eval:n {#1} }
    { \skip_eval:n {#2} }
  }
}
\cs_new_protected:Npn \__fontscale_set_font_size_aux:nn #1#2
{
  \dim_compare:nTF { \c_zero_dim < #1 < 2048pt }
    { \fontsize {#1} {#2} \selectfont }
    { \msg_error:nnn { fontscale } { font-size-invalid } {#1} }
}
% Similar to \__fontscale_set_font_size:nn, except that it sets the font
% baselineskip equal to the new font size times the baselineskip-size-ratio.

```

```

\cs_new_protected:Npn \__fontscale_set_font_size:n #1
  { \exp_args:Ne \__fontscale_set_font_size_aux:n { \dim_eval:n {#1} } }
\cs_new_protected:Npn \__fontscale_set_font_size_aux:n #1
{
  \dim_compare:nTF { \c_zero_dim < #1 < 2048pt }
  {
    \fontsize {#1}
    {
      \fp_to_dim:n
      { \dim_to_fp:n {#1} * \l_fontscale_baselineskip_size_ratio_fp }
    }
    \selectfont
  }
  { \msg_error:nnn { fontscale } { font-size-invalid } {#1} }
}
\cs_new:Npn \__fontscale_fp_eval_round:n #1
{ \fp_eval:n { round ( #1 , \c_fontscale_five_fp ) } }

```

5 Define keys

```

\str_new:N \l_fontscale_typographic_scale_str

\keys_define:nn { fontscale }
{
  baselineskip-size-ratio .fp_set:N =
    \l_fontscale_baselineskip_size_ratio_fp
  , baselineskip-size-ratio .value_required:n = true

  , typographic-scale .choices:nn =
    { classic-10pt , classic-11pt , classic-12pt , musical }
    { \str_set:Nn \l_fontscale_typographic_scale_str {#1} }
  , typographic-scale .value_required:n = true

  , classic-10pt .meta:n = { typographic-scale = classic-10pt }
  , classic-10pt .value_forbidden:n = true

  , classic-11pt .meta:n = { typographic-scale = classic-11pt }
  , classic-11pt .value_forbidden:n = true

  , classic-12pt .meta:n = { typographic-scale = classic-12pt }
  , classic-12pt .value_forbidden:n = true

  , musical .meta:n = { typographic-scale = musical }
  , musical .value_forbidden:n = true
}

```

```

\keys_define:nn { fontscale / musical }
{
    base .dim_set:N = \l_fontscales_musical_base_dim
    , base .value_required:n = true

    , ratio .fp_set:N = \l_fontscales_musical_ratio_fp
    , ratio .value_required:n = true

    , notes .int_set:N = \l_fontscales_musical_notes_int
    , notes .value_required:n = true
}

\keys_define:nn { fontscale / normalsize }
{
    size .tl_set:N = \l_fontscales_normalsize_size_tl
    , size .value_required:n = true

    , baselineskip .tl_set:N = \l_fontscales_normalsize_baselineskip_tl
    , baselineskip .value_required:n = true
}

\tl_map_inline:nn
{
    {tiny} {scriptsize} {footnotesize} {small}
    {large} {Large} {LARGE} {huge} {Huge}
}
{
    \keys_define:nn { fontscale / #1 }
    {
        scale .tl_set:c = { \l_fontscales_#1_scale_tl }
        , scale .value_required:n = true

        , size .tl_set:c = { \l_fontscales_#1_size_tl }
        , size .value_required:n = true

        , baselineskip .tl_set:c = { \l_fontscales_#1_baselineskip_tl }
        , baselineskip .value_required:n = true
    }
}

\keys_define:nn { fontscale }
{
    tiny .tl_set:N = \l_fontscales_tiny_size_tl
    , tiny .value_required:n = true

    , scriptsize .tl_set:N = \l_fontscales_scriptsize_size_tl
    , scriptsize .value_required:n = true

    , footnotesize .tl_set:N = \l_fontscales_footnotesize_size_tl
}

```

```

, footnotesize .value_required:n = true

, small .tl_set:N = \l_fontscalesmall_size_tl
, small .value_required:n = true

, normalsize .tl_set:N = \l_fontscalernormalsize_size_tl
, normalsize .value_required:n = true

, large .tl_set:N = \l_fontscalelarge_size_tl
, large .value_required:n = true

, Large .tl_set:N = \l_fontscaleLarge_size_tl
, Large .value_required:n = true

, LARGE .tl_set:N = \l_fontscaleLARGE_size_tl
, LARGE .value_required:n = true

, huge .tl_set:N = \l_fontscalehuge_size_tl
, huge .value_required:n = true

, Huge .tl_set:N = \l_fontscaleHuge_size_tl
, Huge .value_required:n = true
}
```

6 Initialize and pre-compile keys

```

% Pre-compiles the keys with their initial values and then sets the keys to
% their initial values. This is significantly faster than using .initial:n and
% \keys_precompile:nnN. The special value of \q_no_value is used to test if the
% corresponding key has been set by the user.
\cs_new_protected:Npn \__fontscale_keys_set_initial:
{
  \fp_set:Nn \l_fontscale_baselineskip_size_ratio_fp { 1.2 }
  \str_set:Nn \l_fontscale_typographic_scale_str      { classic-10pt }
  \dim_set:Nn \l_fontscale_musical_base_dim          { 10pt }
  \fp_set:Nn \l_fontscale_musical_ratio_fp            { 2 }
  \int_set:Nn \l_fontscale_musical_notes_int          { 5 }

\tl_map_inline:nn
{
  \l_fontscale_tiny_scale_tl
  \l_fontscale_scriptsize_scale_tl
  \l_fontscale_footnotesize_scale_tl
  \l_fontscale_small_scale_tl
  \l_fontscale_large_scale_tl
}
```

```

\l_fontscalesetup
\l_fontscalesetup_Large
\l_fontscalesetup_LARGE
\l_fontscalesetup_huge
\l_fontscalesetup_Huge

\l_fontscalesetup_tiny
\l_fontscalesetup_scriptsize
\l_fontscalesetup_footnotesize
\l_fontscalesetup_small
\l_fontscalesetup_normalsize
\l_fontscalesetup_large
\l_fontscalesetup_Large
\l_fontscalesetup_LARGE
\l_fontscalesetup_huge
\l_fontscalesetup_Huge

\l_fontscalesetup_tiny_baselineskip
\l_fontscalesetup_scriptsize_baselineskip
\l_fontscalesetup_footnotesize_baselineskip
\l_fontscalesetup_small_baselineskip
\l_fontscalesetup_normalsize_baselineskip
\l_fontscalesetup_large_baselineskip
\l_fontscalesetup_Large_baselineskip
\l_fontscalesetup_LARGE_baselineskip
\l_fontscalesetup_huge_baselineskip
\l_fontscalesetup_Huge_baselineskip

}

{ \tl_set:Nn ##1 { \q_no_value } }

}

\__fontscalesetup_initial:

```

7 Set and process keys

```

\NewDocumentCommand \fontscalesetup { s m }
{
  \mode_if_math:TF
  {
    \msg_warning:nne { fontscalesetup } { math-mode-warning }
    { \token_to_str:N \fontscalesetup }
  }
  {
    \IfBooleanTF #1
    { \__fontscalesetup_reset:n {#2} }
    { \__fontscalesetup_set:n {#2} }
  }
}

```

```

\cs_new_protected:Npn \__fontscale_keys_reset:n
  { \__fontscale_keys_set_initial: \__fontscale_keys_set:n }
\cs_new_protected:Npn \__fontscale_keys_set:n #1
{
  \keys_set:nn { fontscale } {#1}
  \__fontscale_keys_process:
  \normalsize
  \prg_break:
  \prg_break_point:
}
\cs_new_protected:Npn \__fontscale_keys_process:
{
  \__fontscale_keys_process_start:
  \__fontscale_keys_process_normalsize:
  \__fontscale_keys_process_other:
  \__fontscale_keys_process_check_order:
}
\cs_new_protected:Npn \__fontscale_keys_process_start:
{
  \dim_compare:nF { \c_zero_dim < \l__fontscale_musical_base_dim < 2048pt }
  {
    \msg_error:nnV { fontscale } { key-musical-base-invalid }
    \l__fontscale_musical_base_dim
    \prg_break:
  }
  \fp_compare:nNnF \l__fontscale_musical_ratio_fp > \c_one_fp
  {
    \msg_error:nne { fontscale } { key-musical-ratio-invalid }
    { \fp_use:N \l__fontscale_musical_ratio_fp }
    \prg_break:
  }
  \int_compare:nNnF \l__fontscale_musical_notes_int > 0
  {
    \msg_error:nnV { fontscale } { key-musical-notes-invalid }
    \l__fontscale_musical_notes_int
    \prg_break:
  }
}
% Sets the font size and font baselineskip of \normalsize. Its font size must
% be set before doing any processing involving the font scale.
\cs_new_protected:Npn \__fontscale_keys_process_normalsize:
{
  \quark_if_no_value:NTF \l__fontscale_normalsize_size_tl
  {
    \dim_set:Nn \l_fontscale_normalsize_size_dim
    {
      \str_case:Vn \l__fontscale_typographic_scale_str
      {
        { classic-10pt } { 10pt }

```

```

        { classic-11pt } { 11pt }
        { classic-12pt } { 12pt }
        { musical } { \l_fontscales_musical_base_dim }
    }
}
{
\dim_set:Nn \l_fontscales_normalsize_size_dim
{ \l_fontscales_normalsize_size_tl }
\dim_compare:nF
{ \c_zero_dim < \l_fontscales_normalsize_size_dim < 2048pt }
{
    \msg_error:nnnV { fontscales } { name-font-size-invalid }
    { normalsize } \l_fontscales_normalsize_size_dim
    \prg_break:
}
}
\fp_set:Nn \l_fontscales_normalsize_size_fp
{ \dim_to_fp:n { \l_fontscales_normalsize_size_dim } }
\skip_set:Nn \l_fontscales_normalsize_baselineskip_skip
{
\quark_if_no_value:NTF \l_fontscales_normalsize_baselineskip_tl
{
    \fp_to_dim:n
    {
        \l_fontscales_normalsize_size_fp *
        \l_fontscales_baselineskip_size_ratio_fp
    }
}
{ \l_fontscales_normalsize_baselineskip_tl }
}
}
% Auxiliary functions that set the font size depending on the name of the font
% size command.
\cs_new_protected:Npn \__fontscales_keys_process_other_classic_xpt:n #1
{
\dim_set:cn { l_fontscales_#1_size_dim }
{
\str_case:nn {#1}
{
    { tiny } { 6pt }
    { scriptsize } { 7pt }
    { footnotesize } { 8pt }
    { small } { 9pt }
    { large } { 11pt }
    { Large } { 12pt }
    { LARGE } { 14pt }
    { huge } { 16pt }
    { Huge } { 18pt }
}
}
}

```

```

        }
    }
}

\cs_new_protected:Npn \__fontscale_keys_process_other_classic_xipt:n #1
{
    \dim_set:cn { l_fontscale_#1_size_dim }
    {
        \str_case:nn {#1}
        {
            { tiny } { 7pt }
            { scriptsize } { 8pt }
            { footnotesize } { 9pt }
            { small } { 10pt }
            { large } { 12pt }
            { Large } { 14pt }
            { LARGE } { 16pt }
            { huge } { 18pt }
            { Huge } { 21pt }
        }
    }
}

\cs_new_protected:Npn \__fontscale_keys_process_other_classic_xiupt:n #1
{
    \dim_set:cn { l_fontscale_#1_size_dim }
    {
        \str_case:nn {#1}
        {
            { tiny } { 8pt }
            { scriptsize } { 9pt }
            { footnotesize } { 10pt }
            { small } { 11pt }
            { large } { 14pt }
            { Large } { 16pt }
            { LARGE } { 18pt }
            { huge } { 21pt }
            { Huge } { 24pt }
        }
    }
}

\cs_new_protected:Npn \__fontscale_keys_process_other_musical:n #1
{
    \dim_set:cn { l_fontscale_#1_size_dim }
    {
        \fp_to_dim:n
        {
            \l__fontscale_musical_base_fp * \l__fontscale_musical_ratio_fp ^
            ( \use:c { c_fontscale_#1_step_fp } /
            \l__fontscale_musical_notes_fp )
        }
    }
}

```

```

\dim_compare:nF
  { \c_zero_dim < \use:c { l_fontscalesize_dim } < 2048pt }
{
  \tl_map_break:n
  {
    \msg_error:nnn { fontscale } { name-font-size-invalid } {#1}
    { l_fontscalesize_dim }
    \prg_break:
  }
}
}

% Sets the font size, font scale, and font baselineskip of the other font size
% commands.
\cs_new_protected:Npn \__fontscales_keys_process_other:
{
  \str_case:Vn \l__fontscales_typographic_scale_str
  {
    { classic-10pt }
    {
      \cs_set_eq:NN \__fontscales_keys_process_other_aux:n
      \__fontscales_keys_process_other_classic_xpt:n
    }
    { classic-11pt }
    {
      \cs_set_eq:NN \__fontscales_keys_process_other_aux:n
      \__fontscales_keys_process_other_classic_xipt:n
    }
    { classic-12pt }
    {
      \cs_set_eq:NN \__fontscales_keys_process_other_aux:n
      \__fontscales_keys_process_other_classic_xipt:n
    }
    { musical }
    {
      \cs_set_eq:NN \__fontscales_keys_process_other_aux:n
      \__fontscales_keys_process_other_musical:n
      \fp_set:Nn \l__fontscales_musical_base_fp
      { \dim_to_fp:n { \l__fontscales_musical_base_dim } }
      \fp_set:Nn \l__fontscales_musical_notes_fp
      { \int_use:N \l__fontscales_musical_notes_int }
      \fp_set:Nn \l__fontscales_musical_selectfont_fp
      {
        \int_use:N \l__fontscales_musical_notes_int /
        ln ( \l__fontscales_musical_ratio_fp )
      }
    }
  }
\tl_map_function:nN

```

```

{
  {tiny} {scriptsize} {footnotesize} {small}
  {large} {Large} {LARGE} {huge} {Huge}
}
\__fontscale_keys_process_other:n
}
\cs_new_protected:Npn \__fontscale_keys_process_other:n #1
{
  \quark_if_no_value:cF { l__fontscale_#1_scale_tl }
  {
    \dim_set:cn { l_fontscalesize_dim }
    {
      \fp_to_dim:n
      {
        \l__fontscale_normalsize_size_fp *
        ( \use:c { l__fontscale_#1_scale_tl } )
      }
    }
  \dim_compare:nF
  { \c_zero_dim < \use:c { l_fontscalesize_dim } < 2048pt }
  {
    \tl_map_break:n
    {
      \msg_error:nnn { fontscale } { name-font-size-invalid } {#1}
      { l_fontscalesize_dim }
      \prg_break:
    }
  }
  \quark_if_no_value:cT { l__fontscale_#1_size_tl } { \prg_break: }
}
\quark_if_no_value:cF { l__fontscale_#1_size_tl }
{
  \dim_set:cn { l_fontscalesize_dim }
  { \use:c { l__fontscale_#1_size_tl } }
  \dim_compare:nF
  { \c_zero_dim < \use:c { l_fontscalesize_dim } < 2048pt }
  {
    \tl_map_break:n
    {
      \msg_error:nnn { fontscale } { name-font-size-invalid } {#1}
      { l_fontscalesize_dim }
      \prg_break:
    }
  }
  \quark_if_no_value:cF { l__fontscale_#1_scale_tl }
  {
    \msg_warning:nn { fontscale } { key-name-scale-overwritten } {#1}
  }
\prg_break:
}

```

```

}
\__fontscale_keys_process_other_aux:n {#1}
\prg_break:
\prg_break_point:
\fp_set:cn { l_fontscale_#1_scale_fp }
{
    \dim_to_fp:n { \use:c { l_fontscale_#1_size_dim } } /
    \l__fontscale_normalsize_size_fp
}
\skip_set:cn { l_fontscale_#1_baselineskip_skip }
{
    \quark_if_no_value:cTF { l__fontscale_#1_baselineskip_tl }
    {
        \fp_to_dim:n
        {
            \dim_to_fp:n { \use:c { l_fontscale_#1_size_dim } } *
            \l__fontscale_baselineskip_size_ratio_fp
        }
    }
    { \use:c { l__fontscale_#1_baselineskip_tl } }
}
}

% Issues a warning if the font sizes are not in the correct order.
\cs_new_protected:Npn \__fontscale_keys_process_check_order:
{
    \dim_compare:nF
    {
        \l_fontscale_tiny_size_dim
        < \l_fontscale_scriptsize_size_dim
        < \l_fontscale_footnotesize_size_dim
        < \l_fontscale_small_size_dim
        < \l_fontscale_normalsize_size_dim
        < \l_fontscale_large_size_dim
        < \l_fontscale_Large_size_dim
        < \l_fontscale_LARGE_size_dim
        < \l_fontscale_huge_size_dim
        < \l_fontscale_Huge_size_dim
    }
    { \msg_warning:nn { fontscale } { font-sizes-wrong-order } }
}

```

8 Document commands

```
% Defines the standard LaTeX font size commands from \tiny to \Huge and
% initializes to \normalsize. Sets \@currsize only for compatibility. Need
% \dim_use:N only for compatibility with versions of the microtype package
% older than v3.2 2024-12-12. The internal functions are not used elsewhere for
```

```

% compatibility with hooks such as
% \AddToHook{cmd/<font size command>/after}{<code>}.
\tl_map_inline:nn
{
  {tiny} {scriptsize} {footnotesize} {small} {normalsize}
  {large} {Large} {LARGE} {huge} {Huge}
}
{
  \use:e
  {
    \DeclareDocumentCommand \exp_not:c {#1} { }
    {
      \exp_not:N \mode_if_math:TF
      {
        \msg_warning:nnn { fontscale } { math-mode-warning }
        { \token_to_str:c {#1} }
      }
      { \exp_not:c { __fontscale_#1: } }
    }
  }
\cs_new_protected:cpe { __fontscale_#1: }

{
  \cs_set_eq:NN \exp_not:N @currsize \exp_not:c {#1}
  \exp_not:N \fontsize
  {
    \exp_not:N \dim_use:N \exp_not:c { l_fontscale_#1_size_dim } }
    \exp_not:c { l_fontscale_#1_baselineskip }
  \exp_not:N \selectfont
}
}

\ normalsize

\NewExpandableDocumentCommand \currentfontstep { } { \__fontscale_step: }
\cs_new:Npn \__fontscale_step:
{
  \fp_if_nan:nF { \l_fontscale_step_fp } { \fp_use:N \l_fontscale_step_fp } }

\NewExpandableDocumentCommand \currentfontscale { } { \__fontscale_scale: }
\cs_new:Npn \__fontscale_scale: { \fp_use:N \l_fontscale_scale_fp }

\NewExpandableDocumentCommand \currentfontsize { } { \__fontscale_size: }
\cs_new:Npn \__fontscale_size: { \dim_use:N \l_fontscale_size_dim }

\NewExpandableDocumentCommand \currentfontbaselineskip { }
{
  \__fontscale_baselineskip: }
\cs_new:Npn \__fontscale_baselineskip:
{
  \skip_use:N \l_fontscale_baselineskip }

\NewDocumentCommand \setfontstep { s m }

```

```

{
  \mode_if_math:TF
  {
    \msg_warning:nne { fontscale } { math-mode-warning }
    { \token_to_str:N \setfontstep }
  }
  {
    \IfBooleanTF #1
      { \__fontscale_add_font_step:n {#2} }
      { \__fontscale_set_font_step:n {#2} }
  }
}
\cs_new_protected:Npn \__fontscale_add_font_step:n #1
{
  \fp_if_nan:nTF { \l_fontscale_step_fp }
    { \msg_error:nn { fontscale } { current-font-step-invalid } }
    { \__fontscale_set_font_step:n { (#1) + \l_fontscale_step_fp } }
}
\cs_new_protected:Npn \__fontscale_set_font_step:n #1
{
  \fp_set:Nn \l__fontscale_tmp_fp {#1}
  \str_case:enF { \__fontscale_fp_eval_round:n { \l__fontscale_tmp_fp } }
  {
    { -4 } { \tiny }
    { -3 } { \scriptsize }
    { -2 } { \footnotesize }
    { -1 } { \small }
    { 0 } { \normalsize }
    { 1 } { \large }
    { 2 } { \Large }
    { 3 } { \LARGE }
    { 4 } { \huge }
    { 5 } { \Huge }
  }
}

\str_if_eq:VnTF \l__fontscale_typographic_scale_str { musical }
{
  \__fontscale_set_font_size:n
  {
    \fp_to_dim:n
    {
      \l__fontscale_musical_base_fp *
      \l__fontscale_musical_ratio_fp ^
      ( \l__fontscale_tmp_fp / \l__fontscale_musical_notes_fp )
    }
  }
}

\msg_error:nne { fontscale } { font-step-invalid }

```

```

        { \fp_use:N \l__fontscale_tmp_fp }
    }
}

\NewDocumentCommand \setfontscale { s m }
{
    \mode_if_math:TF
    {
        \msg_warning:nne { fontscale } { math-mode-warning }
        { \token_to_str:N \setfontscale }
    }
    {
        \IfBooleanTF #1
        { \__fontscale_add_font_scale:n {#2} }
        { \__fontscale_set_font_scale:n {#2} }
    }
}
\cs_new_protected:Npn \__fontscale_add_font_scale:n #1
{ \__fontscale_set_font_scale:n { (#1) + \l_fontscalescale_fp } }
\cs_new_protected:Npn \__fontscale_set_font_scale:n #1
{
    \__fontscale_set_font_size:n
    { \fp_to_dim:n { (#1) * \l__fontscale_normalsize_size_fp } }
}

\NewDocumentCommand \setfontsize { s m }
{
    \mode_if_math:TF
    {
        \msg_warning:nne { fontscale } { math-mode-warning }
        { \token_to_str:N \setfontsize }
    }
    {
        \IfBooleanTF #1
        { \__fontscale_add_font_size:n {#2} }
        { \__fontscale_set_font_size:n {#2} }
    }
}
\cs_new_protected:Npn \__fontscale_add_font_size:n #1
{ \__fontscale_set_font_size:n { (#1) + \l_fontscalesize_dim } }

\NewDocumentCommand \scalefont { m }
{
    \mode_if_math:TF
    {
        \msg_warning:nne { fontscale } { math-mode-warning }
        { \token_to_str:N \scalefont }
    }
}

```

```

        }
        { \__fontscale_scale_font:n {#1} }
    }
\cs_new_protected:Npn \__fontscale_scale_font:n #1
{
    \fp_set:Nn \l__fontscale_tmp_fp {#1}
    \__fontscale_set_font_size:nn
    {
        \fp_to_dim:n
        { \l__fontscale_tmp_fp * \dim_to_fp:n { \l_fontscale_size_dim } }
    }
    {
        \fp_to_dim:n
        {
            \l__fontscale_tmp_fp *
            \dim_to_fp:n { \l_fontscale_baselineskip_skip }
        }
    }
}

\NewDocumentCommand \setfontsizebaselineskip { m m }
{
    \mode_if_math:TF
    {
        \msg_warning:nne { fontscale } { math-mode-warning }
        { \token_to_str:N \setfontsizebaselineskip }
    }
    { \__fontscale_set_font_size:nn {#1} {#2} }
}

\NewDocumentCommand \setfontbaselineskip { s m }
{
    \mode_if_math:TF
    {
        \msg_warning:nne { fontscale } { math-mode-warning }
        { \token_to_str:N \setfontbaselineskip }
    }
    {
        \IfBooleanTF #1
        { \__fontscale_add_font_baselineskip:n {#2} }
        { \__fontscale_set_font_baselineskip:n {#2} }
    }
}
\cs_new_protected:Npn \__fontscale_add_font_baselineskip:n #1
{
    \__fontscale_set_font_baselineskip:n
    { (#1) + \l_fontscale_baselineskip_skip }
}

```

```

\cs_new_protected:Npn \__fontscale_set_font_baselineskip:n
  { \__fontscale_set_font_size:nn { \l_fontscale_size_dim } }

\NewDocumentCommand \printfontsizeparameters { }
  { \__fontscale_print_font_size_parameters: }

\cs_new_protected:Npn \__fontscale_print_font_size_parameters:
{
  step~ =-
  \fp_if_nan:nF { \l_fontscale_step_fp }
    { \__fontscale_fp_eval_round:n { \l_fontscale_step_fp } }
  ,~
  scale~ =~ \__fontscale_fp_eval_round:n { \l_fontscale_scale_fp } ,~
  size~ =~ \dim_use:N \l_fontscale_size_dim ,~
  baselineskip~ =~ \skip_use:N \l_fontscale_baselineskip_skip
}

\NewDocumentCommand \printallfontsizeparameters { }
{
  \mode_if_math:TF
  {
    \msg_error:nne { fontscale } { math-mode-error }
    { \token_to_str:N \printallfontsizeparameters }
  }
  { \__fontscale_print_all_font_size_parameters: }
}

\cs_new_protected:Npn \__fontscale_print_all_font_size_parameters:
{
  \tl_map_inline:nn
  {
    {tiny} {scriptsize} {footnotesize} {small} {normalsize}
    {large} {Large} {LARGE} {huge} {Huge}
  }
  {
    \token_to_str:c {##1} \cColonStr \cSpaceTl
    step~ =~ \fp_use:c { c_fontscale_##1_step_fp } ,~
    scale~ =-
    \str_if_eq:nnTF {##1} { normalsize }
      { 1 }
      {
        \__fontscale_fp_eval_round:n
          { \use:c { l_fontscale_##1_scale_fp } }
      }
    ,~
    size~ =~ \dim_use:c { l_fontscale_##1_size_dim } ,~
    baselineskip~ =~ \skip_use:c { l_fontscale_##1_baselineskip_skip }
    \str_if_eq:nnF {##1} { Huge } { \newline }
  }
}
}

```

```

\NewDocumentCommand \printsamplertext { >{ \ReverseBoolean } s +m }
{
  \mode_if_math:TF
  {
    \msg_error:nne { fontscale } { math-mode-error }
    { \token_to_str:N \printsamplertext }
  }
  {
    \IfBooleanTF #1
      { \__fontscale_print_sample_textAscending_order:n {#2} }
      { \__fontscale_print_sample_textDescending_order:n {#2} }
  }
}
\cs_new_protected:Npn \__fontscale_print_sample_textAscending_order:n #1
{
  \group_begin:
  \tl_map_inline:nn
  {
    \tiny \scriptsize \footnotesize \small \normalsize
    \large \Large \LARGE \huge \Huge
  }
  { ##1 #1 \par }
  \group_end:
}
\cs_new_protected:Npn \__fontscale_print_sample_textDescending_order:n #1
{
  \group_begin:
  \tl_map_inline:nn
  {
    \Huge \huge \LARGE \Large \large
    \normalsize \small \footnotesize \scriptsize \tiny
  }
  { ##1 #1 \par }
  \group_end:
}

\NewDocumentCommand \printfontsizecommand { }
{
  \mode_if_math:TF
  {
    \msg_error:nne { fontscale } { math-mode-error }
    { \token_to_str:N \printfontsizecommand }
  }
  {
    \__fontscale_print_name:
  }
}
\cs_new_protected:Npn \__fontscale_print_name:
{
  \token_to_str:c
}

```

```

{
  \dim_case:nnF { \l_fontscalesize_dim }
  {
    { \l_fontscalesize_tiny_dim } { tiny }
    { \l_fontscalesize_scriptsizesize_dim } { scriptsize }
    { \l_fontscalesize_footnotesizesize_dim } { footnotesize }
    { \l_fontscalesize_smallsize_dim } { small }
    { \l_fontscalesize_normalsizesize_dim } { normalsize }
    { \l_fontscalesize_largesize_dim } { large }
    { \l_fontscalesize_Largesize_dim } { Large }
    { \l_fontscalesize_LARGEsize_dim } { LARGE }
    { \l_fontscalesize_hugesize_dim } { huge }
    { \l_fontscalesize_Hugesize_dim } { Huge }
  }
  { undefined }
}
\@
}

```

9 Purifying text

```

\NewExpandableDocumentCommand \__fontscales_use_none_sm:w { s m } { }
\tl_map_inline:nn
{
  \fontscalesetup
  \setfontstep
  \setfontscale
  \setfontsize
  \setfontbaselineskip
}
{ \text_declare_purify_equivalent:Nn #1 { \__fontscales_use_none_sm:w } }
\text_declare_purify_equivalent:Nn \scalefont { \use_none:n }
\text_declare_purify_equivalent:Nn \setfontsizebaselineskip { \use_none:nn }

```