

# Package ‘awsMethods’

October 12, 2022

**Version** 1.1-1

**Date** 2019-05-07

**Title** Class and Methods Definitions for Packages 'aws', 'adimpro',  
'fmri', 'dwi'

**Depends** R (>= 3.2.0), methods

**Description** Defines the method extract and provides 'openMP' support as needed in several packages.

**License** GPL (>= 2)

**Copyright** This package is Copyright (C) 2012-18 Weierstrass Institute  
for Applied Analysis and Stochastics.

**URL** <http://www.wias-berlin.de/software/imaging/>

**NeedsCompilation** yes

**Author** Joerg Polzehl [aut, cre],  
Felix Anker [ctb]

**Maintainer** Joerg Polzehl <joerg.polzehl@wias-berlin.de>

**Repository** CRAN

**Date/Publication** 2019-05-08 15:40:03 UTC

## R topics documented:

extract-methods . . . . .	2
risk-methods . . . . .	2
setCores . . . . .	2

<b>Index</b>	<b>4</b>
--------------	----------

---

extract-methods	<i>Generic function extract</i>
-----------------	---------------------------------

---

### Description

Provides generic function extract currently used in packages aws and dti.

### Methods

Method extract is used to extract information from objects defined in packages aws and dti. Here only the generic function is defined. The method usually takes an argument what='vector of characters' defining which information is needed and returns a list with component names corresponding to the entries in what.

---

	signature(x = "ANY")
risk-methods	<i>Generic function risk</i>

---

### Description

Provides generic function risk currently used in package aws.

### Methods

Defines a method used in package aws to evaluate the quality of smoothing results. See help in package aws for details.

---

	signature(y = "ANY")
setCores	<i>Set the number of cores to use for openMP.</i>

---

### Description

The function sets the number of cores used in openMP parallelization in part of the Fortran code.

### Usage

```
setCores(n, reprt = TRUE)
```

### Arguments

n	number of cores to use. If n is missing the actual number of cores in use is returned.
reprt	Logical, is reprt==TRUE the number of cores in use is reported.

**Details**

The number of cores is restricted to integers between 1 (default) and the number of available cores.

**Value**

The function returns the number of cores in use.

**Note**

This function is a slightly modified version of function setCores in package spMC version 0.2.2 written by Luca Sartore <drwolf85@gmail.com>

**Author(s)**

Felix Anker (anker@wias-berlin.de)

**Examples**

```
## Report number of cores available and in use
setCores()
## Set number of cores used in openMP to minimum of
## 12 and number of available cores
setCores(12)
```

# Index

\* **environment**

setCores, [2](#)

\* **methods**

extract-methods, [2](#)

risk-methods, [2](#)

\* **sysdata**

setCores, [2](#)

extract (extract-methods), [2](#)

extract, ANY-method (extract-methods), [2](#)

extract-methods, [2](#)

risk (risk-methods), [2](#)

risk, ANY-method (risk-methods), [2](#)

risk-methods, [2](#)

setCores, [2](#)